Please check the examination details belo	w before ente	ring your candidate information
Candidate surname		Other names
Centre Number Candidate		el 2 GCSE (9–1)
Monday 19 June 202	23	
Morning (Time: 1 hour 45 minutes)	Paper reference	1DT0/1D
Design and Techn COMPONENT 1: Systems		
You must have: calculator, ruler, HB pencil, protractor,	pair of com	passes Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Calculators may be used.
- Any diagrams may NOT be accurately drawn, unless otherwise indicated.
- You must show all your working out with your answer clearly identified at the end of your solution.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





SECTION A

Core

Answer ALL questions. Write your answers in the spaces provided.

1 (a) The materials that products are made from are chosen because of their properties.

Figure 1 shows a table of products.

For each of the products shown, give a property of the material it is made from that makes the material suitable for the product.

The first one has been done for you.

Picture of product	Material and product	Property
	Cotton T-shirt	Soft
	Polyester resin printed circuit board (PCB)	(1) (i)
	Balsa wood toy plane	(1) (ii)
B	Stainless steel kitchen scissors	(1) (iii)
A State Con	Solid white board hardback book cover	(iv)

Figure 1



A printing company wants to use a new and emergin privately-owned business.			
(b) (i) Explain one advantage for the company of op business.	perating as a privately-owned		
		(2)	
The printing company has invested £150,000 of it emerging technology but wants to raise an addit			
(ii) Calculate how much additional money it will	raise by crowdfunding.	(2)	
		(2)	
	Answer £		
	(Total for Question 1 = 8	1 = 8 marks)	



2 Figure 2 shows a concrete candle holder.




Figure 2


(a) Name the drawing method that has been used to show the concrete candle holder in Figure 2.

(1)

(b) Explain **one** reason for using concrete for the candle holder.

(2)

Figure 3 shows a standardised size of candle.



All dimensions in mm

Ø – diameter


Figure 3

(c) Explain **one** reason for manufacturing the concrete candle holder to hold a standardised size of candle.

(2)



Figure 4 shows a dimensioned drawing of the concrete candle holder.



All dimensions in mm

Volume of cylinder = $\pi \times r^2 \times h$

Use $\pi = 3.142$

Figure 4

(d) Calculate the volume of concrete required to make the candle holder.

Give your answer in cm³ to the nearest whole cm³.

(4)

Answer cm³

(Total for Question 2 = 9 marks)

3 Figure 5 shows a vegetable growing frame that is manufactured from a softwood.




Figure 5

(a) Name **one** softwood that can be used to manufacture the vegetable growing frame.

(1)

(b) Explain **one** reason for manufacturing the vegetable growing frame from a softwood rather than a hardwood.

(2)

The original length of timber that is used to make the frame is 300 cm.

The combined length of one short side and one long side of the frame is 270 cm.

(c) Calculate how much timber is left when a short side and a long side have been cut to size, giving your answer as a fraction of the original length of timber.

Ignore the width of any saw cuts.

(2)

Answer

Figure 6 shows a mild steel fixing that has been used to join the vegetable growing frame together at the corners.




	Figure 6	
	(d) Explain one disadvantage of using mild steel for the fixing.	
		(2)
	The vegetable growing frame is delivered in a box manufactured from corrugated board.	
	(e) Explain two benefits of using corrugated board to manufacture the box.	
		(4)
1 .		
2 .		
	/T . I	
	(Total for Question 3 = 11 m	arks)



4 Figure 7 shows a polyester laptop bag.



Figure 7

(a) Explain **one** working property of polyester that makes it an appropriate choice of

material t	to make the laptop	bag.		
				(2)

(b) The material for the laptop bag is 60% new polyester and the rest is recycled polyester.

The laptop bag requires 320 grams of polyester in total.

Calculate how many grams of recycled polyester are required for the laptop bag.

(2)

 c) Explain one outcome of an LCA that can help to reduce the environmental impact of the laptop bag. 	:
of the laptop bug.	(2)
d) Discuss how the features of modern laptops have contributed to remote working.	
	(6)



	(Total for Question 4 = 12 marks)
TOTAL FOR SECTION A = 40 MARKS	




BLANK PAGE SECTION B BEGINS ON THE NEXT PAGE.

SECTION B


Systems

Answer ALL questions. Write your answers in the spaces provided.

5 Figure 8 shows a design solution for a display stand to hold three boxes of chocolates together with some additional information.



Additional information – dimensions of box of chocolates



All dimensions in mm

Figure 8



(a) The display stand holds three boxes of chocolates and needs to be improved to include the following specification points.

The display stand must:


- be able to hold an additional three boxes of chocolates and allow the top face of each individual chocolate box to be seen
- include an electronic method to show the price of a box of chocolates that allows the price to be changed
- be portable so that it can be moved to another place without the chocolate boxes falling off.

Use notes and sketches to show how the display stand could be modified to include these three specification points.

You will be marked on how you apply your understanding of design and technology, not your graphical skills.

Use the outline of the original design solution to show your modifications.

(6)



(4)

(b) Figure 9 shows a wooden puzzle that is used to help develop hand-eye coordination in young children.

When the steel ball touches a copper contact, the LED lights up.





Figure 9


Explain **two** ways that the wooden puzzle meets, or fails to meet, the criterion of providing a method to help develop hand-eye coordination in young children.

2	
	(Total for Question 5 = 10 marks)

6 Figure 10 shows a steady hand game and a circuit diagram.

The push to make (PTM) switch in the circuit diagram represents the wand coming into contact with the wire.






Circuit diagram

Figure 10

(a) Explain two benefits of using a buzzer in the circuit for the steady hand game.	(4)
1	
2	

18

(b) Figure 11 shows the base of the polymer case which has been manufactured from 3 mm thick acrylic.



All dimensions in mm

Figure 11

Use notes and sketches, in the space below, to show how a single polymer base would be cut using a CNC laser cutter.

You will be marked on how you apply your understanding of design and technology, not your graphical skills.

(4)



The steady hand game is supplied with a written instruction booklet that is in colour	·.
(c) Explain one way that the manufacturer can avoid causing offence to potential users of the instruction booklet in different countries.	(2)
	(2)

Figure 12 shows the inside of the upturned polymer case before holes have been drilled and the base has been attached.





Figure 12

(d)	Give two different methods that could be used to manufacture the polymer case.	
	Explain one reason for using each manufacturing method.	(6
	Method 1	

EXPIANALION				
Evolanation				
Method 2				
Explanation				
	Method 2	Method 2	Method 2	Method 2

7 Figure 13 shows a remote-control toy that is manufactured in a batch of 100 and a tool that is used during assembly of the toy. The aerial is connected to the circuit using insulated wires.







Figure 13

(a) Name the specific type of tool shown in Figure 13.

(1)

Figure 14 shows the rear wheel of the toy which is to be made from 12 mm thick acrylic using computer-aided manufacturing (CAM).



All dimensions in mm

Figure 14


	(b) Explain two advantages of using CAM to manufacture the rear wheels of the toy.	(4)
1		
2		

(c) Figure 15 shows a dimensioned drawing of a template for the front section of the toy.

The template will be used to mark out the front section of the toy and will be made from 5 mm thick material.

Produce an isometric drawing of the template on the grid provided.


(5)



All dimensions in mm

Diagram not to scale


Figure 15



5 mm isometric grid

(d) Explain two disadvantages of using a template to mark out the front section of the toy.		
the toy.	(6)	
1		
2		
	(Total for Question 7 = 16 marks)	

8 Figure 16 shows a wall mounted light and a circuit diagram.






Figure 16

(a) Explain one benefit of using a variable resistor in the circuit.	(2)
(b) Explain one cost factor that will have been considered when selecting th resistors for the circuit.	e (3)
(c) Explain two quality control checks that would be carried out on the circu before they are allowed to leave the factory.	(4)
2	



(d) The wall mounted light is manufactured in France and sold around the world.

Figure 17 shows some additional information about the wall mounted light.

Source of components	Taiwan and China		
Country of manufacture	France		
Potential market	Schools, housing estates, private homes and other public buildings		
Scale of production	Batch		

Figure 17

Analyse the information in Figure 17.

Evaluate the wall mounted light with reference to social factors including:

- use for different social groups
- trends / fashion
- popularity.

(9)

(Total for Question 8 = 18 marks)

TOTAL FOR SECTION B = 60 MARKS TOTAL FOR PAPER = 100 MARKS



BLANK PAGE



BLANK PAGE

